SUKHANOV, Vasiliy Pavlovich; KLEYMENOVA, K.F., ved. red.; YAKOVLEVA,
Z.I., tekhn. red.

[Catalytic processes in petroleum refining]Kataliticheskie protsessy v nefteperrabotke. Moskva, Costoptekhizdat, 1963. 271 p.

(Catalysis) (Petroleum--Refining)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

CHUVATOV, V.V.; BEREZIN, N.N.; METSGER, E.Kh.; NAGIN, V.A.; KARTASHOV, N.A., kand. tekhn. nauk, dots.; MIL'KOV, N.V., kand. tekhn. nauk; BYCHKOV, M.I., kand. tekhn.nauk, dots.; SUKHANOV, V.P., SHLYAPIN, V.A.; KORZHENKO, L.I.; ABRAMYCHEV, Ye.P.; KAZANTSEV, I.I.; YARES'KO, V.F.; LUKOYANOV, Yu.N.; DUDAROV, V.K.; BALINSKIY, R.P.; KOROTKOVSKIY, A.E.; PONCMAREV, I.I.; NOVOSEL'SKIY, S.A., kand. tekhn.nauk, dots.; IL'INYKH, N.Z.; TSITKIN, N.A.; ROGOZHIN, G.I.; PRAVOTOROV, B.A.; ORLOV, V.D.; RACHINSKIY, M.N.; KULTYSHEV, V.N.; SMAGIN, G.N.; KUZNETSOV, V.D.; MACHERET, I.G.; SHEGAL, A.V.; GALASHOV, F.K.; ANTIPIN, A.A.; SHALAKHIN, K.S.; RASCHEKTAYEV, I.M.; TISHCHENKO, Ye.I.; FOTIYEV, A.F.; IPPOLITOV, M.F.; DOROSINSKIY, G.P.; ROZHKOV, Ye.P.; RYUMIN, N.T.; AYZENBERG, S.L.; GOLUBISOV, N.I.; VUS-VONSOVICH, I.K., inzh., retsenzent; GOLOVKIN, A, M., inzh., retsenzent; GUSELETÓV, A.I., inzh., retsenzent; KALUGIN, N.I., inzh., retsenzent; KRAMINSKIY, I.S., inzh., retsenzent; MAYLE, O.Ya., inzh., retsenzent; OZERSKIY, S.M., inzh., retsenzent; SKOBLO, Ya.A., dots., retsenzent; SPERANSKIY, B.A., kand. tekhn. nauk, retsenzent; SHALAMOV, K. Ye., inzh., retsenzent; VOYNICH, M.F., inzh., red.; GETLING, Yu., red.; CHERNIKHOV, Ya., tekhn. red.

[Construction handbook] Spravochnik stroitelia. Red.kollegiia: M.I. Bychkov i dr. Sverdlovsk, Sverdlovskoe knizhnoe izd-vo. Vol.1. 1962. 532 p. Vol.2. 1963. 462 p. (MIRA 16:5) (Construction industry)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SUKFANOV, V.S.


Notes to a continent for extinguishing firer. Bezog, truda v grow. 9 to.4145-45 to 155.


1. Severolone takeya pusharno-dapytatellneya atanteiya.


BUKHANOV. V.V.; PETROCHENKOV, T.A.; SMIRNOV, G.N.; KONYAKHIN, Yu.Ya., inzh.; MOROZOVA, T.A.; GORSHKOV, V.V.; YEROSHENKO, N.A.; SHCHERBINA, N.P.

Letters to the editor. Put' i put.khoz. 4 no.11:44-45 N '60. (MIRA 13:12)

- Dorozhnyy master, st. Syamba, Severnoy dorogi (for Sukhanov).
   Starshiy dorozhnyy master, st. Moskva-Kurskaya (for Petrochenkov).
- 3. Dorozhnyy master 5-go okolożka, st. Khovrino, Oktyabr'skoy dorogi (for Smirnov). 4. Putevaya raborhaya st. Peshetnikovo, Oktyabr'skoy dorogi (for Morozova). 5. Starshiy putevoy rabochiy, st. Reshetnikovo, Oktyabr'skoy dorogi (for Gorshkov). 6. Predsedatel' komissii partiynogo kontorlya po zhilishchno-bytovym voprosam, st. Aksakovo, Knybyshevskoy dorogi (for Yeroshenko). 7. Inzhener distantsii, st. Nadezhdinsk-Sortirovochnyy, Sverdlovskoy dorogi (for Shcherbina). (Railroads)







GROMOVA, L.D.; SUKHANOV, Ya.B., red.; ZAYTSEVA, L.A., tekhn. red.

[Machine embroidery] Machinnaia vyskivka. Moskva, Gos. izdvo mestnoi promyshl. i khudozh. promyslov RSFSR, 1961. 29 p.
illus.

(MIRA 15:5)

1. Moscow. Nauchno-issledovatel'skiy institut khudozhestvennoy
promyshlennosti.

(Embroidery (Machine))

SUKHANOV, Ya.Ya.; BONDARENKO, M., red.; ABBASOV, T., tekhred.

[Best swine breeder in the Republic; practices of D.Sultanov from State Breeding Farm No.1 in Samarkand District, Samarkand Province] Luchshii svinovod respubliki; opyt raboty D.Sultanove iz plemsovkhoza No.1 Samarkandskogo raiona, Samarkandskoi oblasti. Tashkent, Gos.izd-vo Uzbekskoi SSR, 1960. 15 p.

(MIRA 14:3)

(Samarkand District -- Swine)

SUKHANOV, Ye., starshiy prepodavatel'

Verifying the sensitivity module of radio directions finders on the ship. Mor. flot 25 no.2:22 F'65. (MIRA 18:4)

1. Cdesskoye vyssheye inzhenernoye morskoye uchilishche.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

YE. L コロスカガルロレ

66186

24(6) 24.5200

SOV/146-58-5-21/24

AUTHORS:

Budrin, D.V., Candidate of Technical Sciences, Docent, and Sukhanov, Ye.L., Aspirant

TITLE:

Temperature Field in Archimedian Cylinders at Normal

Temperature

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy - Priborostroy-

eniye, 1958, Nr 5, pp 153-160 (USSR)

ABSTRACT:

At first the author gives practical advice, as to how the shape of the heat receiver should be chosen to facilitate the calculations. He recommends the shape of the Archimedian cylinder, which is an intermediate form between a ball and a cube. The calculation of the temperature field of a short cylinder with any given height and diameter can be based on the rule of multiplying the temperature criterias. This rule was found by Goldshteyn and later by D.V. Budrin, B.A. Krasovskiy, and A.B. Lykov. G.M. Kondrat yev and his school also did research in problems, connected with this question. The formulae 1-3 serve to calculate the temperatures in the Archemedian cylinder during the

Card 1/2

BUDRIN, D.V., dots., kand.tekhn.nauk; SUKHANOV. Ie.L. insh.

Determining the coefficient of heat transfer in heating metals in fused salts. Izv.vys. ucheb.zav.; chern.met. no.9:51-62 S '58.

(MIRA 11:11)

1. Ural'skiy politekhnicheskiy institut.
(Heat--Transmission)

SUKHANOV, Ye. L, Candidate Tech Sci (diss) -- "Investigation of heat exchange in heating and cooling metal in liquid media". Sverdlovsk, 1959. 17 pp (Min Higher Educ USSR, Ural Polytech Inst im S. M. Kirov), 150 copies (KL, No 24, 1959, 141)

06389

24(8)

SOV/170-59-2-7/23

AUTHORS:

Budrin, D.V., Sukhanov, Ye.L.

TITLE:

Coefficients for Calculating Heating of Cooling of Simple-Shaped Bodies

PERIODICAL:

Inzhenerno-fizioheskiy zhumal, 1959, Nr 2, pp 53-62 (USSR)

ABSTRACT:

The calculating methods of the theory of regular thermal behavior [Refs 2,3], based on a simplified solution of the differential equation of heat conductivity under boundary conditions of the third kind, have been widely applied for solution of various thermal and diffusion problems. The solution of the equation of heat conductivity for bodies of simple regular shape, given by Formula 1 in the text, contains some coefficients depending on the Bio criterion (Bi), relative coordinates of a point under consideration in the body, and the shape of the body. The authors calculated the values of these coefficients for the cases of a plate and a long cylinder, some of them by the formulae of A.V. Lykov [Ref 7], on an electric keyboard computer with an accuracy of the fifth desimal digit. These values, rounded off to the fourth decimal, are presented in Tables 1 and 2 for both cases respectively for various values of Bi ranging from 0.1 to 100 and  $\infty$ . These tables contain also coefficients for calculating the temper-

Card 1/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

18(3) AUTHORS:

Budrin, D. V., Sukhanov, Ye. L.

507/163-59-2-18/48

TITLE:

Determination of the Coefficients of Thermal Conductivity of Steels During Heating in Melted Salts (Opredeleniye koeffitsiyentov teploprovodnosti staley pri nagreve v rasplavlennykh

solyakh)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Metallurgiya, 1959, Nr 2,

pp 94 - 102 (USSR)

ABSTRACT:

The method suggested is based on the presuppositions of the theory of the regular heat state, i.e. on the assumption of the constancy of thermal properties of the cooled and heated body, the surrounding temperature and the coefficient of heat transmission. For work within a large temperature range, the latter must be subdivided into several intervals for which these presuppositions may be assumed. The method suggested was worked out for samples in the form of an Archimedean cylinder (diameter = height), as it is shown in figure 1. The dependence Bi =  $\varphi(\varrho^2)$  (Bi = Biot's criterion,  $\varrho^2$  = criterion of the heating and cooling of a body in the form of an Archimedean cylinder) is used as a basis. The following equation system is derived:

Card 1/3

Determination of the Coefficients of Thermal Conductivity SOV/163-59-2-18/48 of Steels During Heating in Melted Salts

Bi=  $\varphi(\frac{A}{\lambda_t})$  and Bi=  $\frac{A}{3\psi_{inc}\lambda_t}$ . ( $\lambda_t$ = heat conductivity at the temperature t,  $\psi_{inc}$  = the criterion of the inconstancy of the temperature field experimentally determined by measuring the temperature in the center of the body and on the periphery. A=  $mc_t \gamma R^2$ , m representing the rate of heating or cooling (dimension h<sup>-1</sup>);  $c_t$  = mean heat capacity;  $\gamma$  = density of the material). The two unknowns  $\lambda_t$  and Bi can be determined graphically (Fig 3) or by consecutive approximation. The determination of the function  $\varphi$  is indicated by polynomials. A table indicates the values for the auxiliary criterion  $\psi_{pc}$ 

 $(\psi_{pc} = \frac{t_m - t_p}{t_m - t_c}, t_m \text{ representing the temperature of the medium,}$   $t_p \text{ the temperature on the periphery of the body, and } t_c \text{ the temperature in the center of the body) as well as for <math>e^2$ , Bi,

Card 2/3

Determination of the Coefficients of Thermal Conductivity SOV/163-59-2-18/48 of Steels During Heating in Helted Salts

and other factors. The experiments were made in 1957 in the laboratory of the Kafedra gazopechnoy teplotekhniki UPI (Chair of Gas Furnace Heat Engineering of the UP1). Figure 2 shows the heating curves of two steel samples in melted salt (44% NaCl + + 56% KC1). Table 2 indicates the computation of the conductivity of steel 10 by the two-point acthod at a mean temperature of 669.50C. Figure 4 shows the tengerature dependence of the coefficients of heat conductivity of steel 10 and steel 2Kh13, and proves the agreement of the values with those found by the static method of radial heat current at the Kafedra fiziki UPA (Chair of Physics at the UPI). The two-point method suggested is time-saving; the use of salt melts prevents the oxidation of the steel samples, and also permits the determination of the heat conductivity coefficients at a high temperature (in barium chloride melts at 1200 - 1250°C). There are 4 figures, 2 tables, and 10 references, 8 of which are Soviet.

ASSOCIATION: Ural skiy politekhnicheskiy institut (Ural Polytechnic Insti-

tute)

SUBMITTED: May 23, 1958

Card 3/3

FIALKO, Grigoriy Mironovich; SUKHANOV, Ye.L., kand. tekhn. nauk, retsenzent; DUGINA, N.A., tekhn. red.

[Automation of equipment for the manufacture of sulfuric acid]
Avtomatizatsiia oborudovaniia dlia proizvodstva sernoi kisloty.
Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1961.
294 p. (MIRA 14:10)
(Sulfuric acid) (Automation)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

s/146/61/004/003/011/013 Da17/D301

AUTHORS:

Budrin, D.V., and Sukhanov, Ye.L.

TITLE:

Determining the coefficient of thermal conductivity of steel at high temperature by the two points method

PERIODICAL: Izvestiya vysshikh ushebnykh zavedeniy. Priborcstroyeniye, v. 4, no. 1, 1961, 130 - 134

TEXT: In order to satisfy the Urah about factories, methods of evaluating thermo-physical characteristics are developed in this article. For specimena at the stage of Archimedes' cylinders (diameters = height) a two points method as worked out. The theory that in the regular thermal state, the temperature  $t_{n}$  of point D at the middle height is nearly equal to the mean temperature  $t_{\mathbf{M}}$  at the center of the specimen, was discussed by the authors previously. They also discovered the possibility of automatic temperature measurement applied to the operation series overcoming the limitations

Card 1/5

Determining the coefficient of ...

S/146/61/004/003/011/013 D217/D301

of G.M. Kondrat'yev's method. The criterion of Kondrat'yev's method for a cylinder is then introduced

$$\varphi^2 = \mathcal{E}(\gamma_{\text{po}}) \tag{1}$$

where

$$\frac{\psi}{DC} = \frac{t_{amo} - t_{D}}{t_{aub} - t_{C}}$$
(2)

is the criterion of thermal field irregularity of the cylinder between points D and C. The conductivity is evaluated from the formula

$$a = \frac{n \cdot R^2}{2} n^2 / hr \tag{3}$$

where R - radius of the specimen, m -

$$m = \frac{8289 \cdot 1 \cdot \frac{1 \cdot mb}{1 \cdot mb} - \frac{t^{\frac{1}{D}}}{t^{\frac{1}{D}}}}{t^{\frac{1}{D}}}$$
 (4)

Card 2/5

BETHER THE THE COURSE SHOULD S

Determining the coefficient of ... S/146/61/004/003/011/013 D217/D301

 $\tau^*$  and  $\tau^*$  - times of beginning and end of the interval,  $t_D^*$  and  $t_D^*$  temperatures  $\bullet$  D at these times,  $t_{amb}$  - ambient temperature. The values of a were related to the time

 $\mathbf{t_{M}} \approx \frac{1}{2} \; (\mathbf{t_{D}^{\circ} + t_{D}^{\circ}}). \tag{5}$ 

Those parts of the curves, where  $/t_D - t_C/ > 10^{\circ} \text{C}$ , were examined. The temperature was  $200^{\circ}\text{C}$  at the start. Hot liquids intensified the heat exchange. Melted lead was not used because of its noxionness. The region of phase transformations  $720^{\circ} - 850^{\circ}\text{C}$  for the mixture NaCl and KCl was examined. Archimedes cylinders with radii 60 - 90 mm were used with two holes drilled to the points D and C. Chromel-alumel thermocouples were welded and the temperatures recorded. From these the values  $t_M$  and  $\psi D_C$  and  $e^2$  were evaluated, and finally conductivity a. The graph (Fig. 2) shows that this method gives results to the quality of the thermocouple welding. The preparation of

Card 3/5

S/146/61/004/003/011/013 D217/D301

Determining the coefficient of ...


the specimen is the most complicated part of the method. There are 2 figures and 4 Soviet-bloc references.

ASSOCIATION: Ural'skiy politekhnicheskiy institut im. S.M. Kirova (Ural Politechnic Institute im. S.M. Kirov)

: December 13, 1960

Card 4/5

SUBMITTED:



APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

245500

29649 S/146/61/004/004/013/015 D201/D306

THE PROPERTY OF THE PROPERTY O

AUTHORS:

Sukhanov, YeL, and Kuprovskiy, B.B.

TITLE:

Comparison of stationary and non-stationary methods of determining thermal conductivity of nickel-chromium

alloys

生态显示性的复数 华特特别 在战器的现在分词 医克克特氏 医克克特氏 医克克特氏 医克克特氏 医克拉特氏 医克拉特氏 医克拉特氏 医克拉特氏

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Priboro-

stroyeniye, v. 4, no. 4, 1961, 98 - 100

TEXT: In order to determine the usefulness of regular heat regime methods for determining the thermal properties of metals at high methods for determining the thermal properties of metals at high temperatures, the authors compare two basic methods of analysis; temperatures, the authors compare two basic methods were used to Stationary and non-stationary methods. Both methods were used to investigate the chromium stainless steel 2Xl3 (2Khl3) and nichrome type X2OH80 (Kh2ON8O). The chemical composition of the two alloys type X2OH80 (Kh2ON8O). The chemical composition of the two alloys was is given. The thermal conductivity  $\lambda$  of the investigated alloys was determined by the absolute method of radial thermal flux in a thick walled cylinder at the laboratories of the Department of Physics of the Polytechnic Institute, Uralsk. The experimental arrangements and methods are described by B.B. Kuprovskiy and P.V. Gel'd (Ref. 1).

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

2/649 \$/146/61/004/004/013/015

THE REPORT OF THE PERSON OF TH

Comparison of stationary and non-statio-..D201/D306

Card 2/3

Shornik izd. AN SSSR, 1957). All samples were prepared in the forms of 68 mm dia. discs. Two of them had a height of 25 mm, 8 thermal insulation discs (each 10 mm high) were placed on each side of the disc under investigation. The samples were heated by platinum heating elements, placed centrally in the disc in an aperture of 12 mm dia. The discs had also 4 apertures (4 mm dia.) for the thermocouples. The measurements were carried out between 100 and 900°C (one arrangement between 100-500°C; the other 500-900°C). The greatest possible relative error in determining  $\lambda$  by the stationary method aid not exceed 7 %. The two-point method of D.V. Budrin and E.L. Sukhanov (Ref. 2: Metallurgiya, 1959, no. 2) was used to evaluate the temperature conductivity a of the analyzed alloys. Results ob tained by the two methods were compared by comparing the values of thermal conductivity. For the non-stationary method the latter was determined from  $\lambda = a \circ \gamma_{20} \circ C_0$ . The density at 2000  $\gamma_{20}$  and the true specific thermal capacity c were determined by experiment. The results obtained by the two methods are in good agreement with each other (deviations of the measured values from the averaging curves did not exceed 7 %), so that both methods may be recommended for

S/196/62/000/001/005/013 E194/E155

AUTHORS: Sukhanov, Ye.L., and Serebrennikov, N.N.

TITLE: The heat content and specific heat of nichrome and

carbon- and alloy-steels

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.1, 1962, 6, abstract 1B 36. (Tr. Ural'skogo

politekhn. in-ta, 114, 1961, 81-85)

TEXT: A study was made of the thermal properties of the alloys shown in the table. The true specific heat of steel 10 increases smoothly up to a temperature of 700 °C; at temperatures above 900 °C it is 0.155 cal/g.degree and does not alter on further increasing the temperature. The specific heat curve of steel 2 'X 13 (2Kh13) displays two sharp peaks; at temperatures above 900 °C the specific heat is 0.157 cal/g.degree and remains constant. No appreciable change was observed in the specific heat of specimens of this steel when they were heated and cooled. Comparison of the results indicates that thermal effects of the magnetic transformations of steel 10 and 2Kh13 are about the same. The true specific heat of nichrome changes smoothly, and this Card 1/2

The heat content and specific heat...

S/196/62/000/001/005/013 E194/E155

confirms the absence of transformations associated with heating and cooling this alloy on changing the temperature from 0 to 1200  $^{\rm O}$ C. 4 literature references.

THE SECOND REPORTED AND THE SECOND AND THE SECOND ASSOCIATION OF THE S

[Abstractor's note: Complete translation.]

Table

Alloy	Analysis, % (remainder Fe)							
	С	Si	Mn	Cr	Ni	Ti	S	P
Carbon steel 10	0.12	0.02	0.47	-	0.24		0.009	0.002
Nickel stainless steel 2Khl3	0,18	0.35	0.28	13.57	0.24	0.004	0.013	0.023
Nichrome ∀ 20 ⊬ 80 (Kh20N80)	0.14	0.29	0.70	21.60	76.33	•	0.012	0.016

Card 2/2

34163

S/196/62/000/002/015/023 E194/E155

18.1735

Sukhanov, Ye.L., and Kuprovskiy, B B.

**AUTHORS!** TITLE

The thermal conductivity and temperature

conductivity of chrome-nickel alleys

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika

到上版的是有数据的**不成本人的**是表现的用途经验的。这些特别的证明,我们是是一种的证明,如此,但是一种的证明的证明,但是一种的证明的是一种的证明的是一种的证明的证明的证明的

no.2, 1962, 5, abstract 2G 40. (Tr. Ural skogo politekhn. in-ta, v.114, 1961, 86-89).

The thermal conductivity  $\lambda$  of stainless steel TEXT: 2 X13 (2Kh13) and 18 X 18 H 9 T (1Kh18N9T) and also of nichrome was investigated in the temperature range 10-900 °C by the radial heat-flux method in a thick-walled cylinder and by the regular conditions method. The relationship between the thermal conductivity of steel 2Khl3 and temperature was found and practically coincides with a published value. The value of the temperature conductivity a of the alloys is calculated from experimental results and published data using the formula:

$$a = \lambda/(c_p \cdot d_{20})$$

Card 1/2

CIA-RDP86-00513R001653810009-8" APPROVED FOR RELEASE: 07/13/2001

LEBEDEV, Nikolay Sergeyevich; TELEGIN, Aleksandr Semenovich, dots., kand. tekhn. nauk. Prinimali uchastiye: SOKOLOV, K.N., dots., kand. tekhn. nauk; SUKHANOV, Ye.L., dots., kand. tekhn. nauk; LYTKIN, V.I., inzh., retsenzent; DUGINA, N.A., tekhn. red.

[Heating furnaces]Nagrevatel'nye pechi. Moskva, Mashgiz, 1962.
344 p. (MIRA 15:12)
(Furnaces, Heating)

ACCUMENT OF THE REPORT OF THE PROPERTY OF THE


SUKHANOV, Ye.L.; SEREBRENNIKOV, N.N.

Heat capacity and heat content of nichrome, carbon and alloyed steel. Trudy Ural.politekh.inst. no.14:81-85 '61.

(MIRA 16:6)

(Nickel-chromium alloys-Thermal properties)

(Steel alloys-Thermal properties)



BUDRIN, D.V.; SUKHANOV, Ye.L.; SHILOV, V.I.

Heating and cooling specimens of titanium and its alloys. Titan i ego splavy no.10:332-338 '63. (MIRA 17:1)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

VOLTBERG, A.A.; SUKHANOV, Ye.L.; BELYAYEV, A.I.

Structure and thermophysical properties of the crust on the lining of alectrolytic aluminum cells. Izv. AN SSSR. Met. i gor. delo nc.5145-56 S-0 \*64. (MIRA 18:1)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

RITAVRY, B.J. YAROSHESKO, Yu.G.; LAZARRY, P.L.; SUKHANOV, Ye.L.

Quantitative estimate of heat monds minns at a blass furnace top. fzv. vys. ucheb. zav.; chern. met. 8 no.10:31.36 165.

1. Ural'skiy politekhnicheskiy institut.

(MURA 18:9)

MAKSIMOVA, G.A.; SUKHANOV, Ye.M.

Controlling the operation of spinning pumps. Knim.volok.
no.4:65-66 '59. (MIRA 13:2)

1. Krasnoyarskiy zavod.
(Spinning machinery)

LITSYN, N.M., inch.; ZAMEYŚKIY, E.S., inzh.; SUKHANOV, Ye.Ye., inzh.

Contactless relay system for establishing the performance of excavators.

Izv. vys. ucheb. zav.; gor. zhur. 7 no.9:164-107 64.

(MIRA 18:7)

TARGET THE THE STATE VOTABLE LEVEL OF THE PROPERTY OF THE STATE OF THE

1. Permskiy politekhnicheskiy institut. Rekomendovana nauchro-issle-dovateliskim sektorom.

OSIPOV, K.D.; PASYNKOV, V.V.; REMEZ, G.A., red.; SUKHANOV, Yu.I., red.; SMUROV, B.V., tekhn.red.

数据,这种是<mark>是是一种的,我们们的</mark>是一种,我们们的,我们们的,我们们们的,我们们们的,我们们们的,我们们们们们的,我们们们们的,我们们们的,我们们们们们的,我们们

[Handbook on radio measuring devices] Spravochnik po radioizmeritel'nym priboram. Pod red. G.A.Remeza. Moskva, Izd-vo
"Sovetskoe radio." Pt.4. [Special measuring devices and current
sources] Spetsial'nye izmeritel'nye pribory i istochniki pitaniia. 1959. 152 p.

(Radio measurements) (Radar)

IL'INSKIY, V.S.; SUKHANOV, Yu.I., red.; SVESHNIKOV, A.A., tekhn.red.

[Vibration and shock isolation] Voprosy izoliatsii vibratsii i udarov. Moskva, Isd-vo "Sovetskoe radio," 1960. 158 p.

(Vibration)

(Vibration)

VOLIN, Mikhail Lezarevich; SALOV, V.S., retsenzent; SUKHANOV, Yu.I., red.; SVESHNIKOV, A.A., tekhn.red.

[Stray inductions and couplings] Parazitnye aviazi i navodki. Moskva, Izd-vo "Sovetskoe radio," 1960. 199 p.

(MIRA 13:11)

(Shielding (Electricity)) (Radio--Interference)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

OSIPOV, Konstantin Dmitriyevich; PASYNKOV, Vsevolod Vladimirovich; KOCHET-KOVA, N.A., red.; SUKHANOV, Yu.I., red.; SMUROV, B.V., tekhn. red.

的性质性,现代数据,其实的特殊的

[Handbook on radio measurement devices] Spravochnik to radioizmeritel'nym priboram. Pod red. G.A.Remeza. Moskva, Izd-vo "Sovetskoe radio." Fart 2. [Frequency measuring devices and instrument oscillators] Pribory dlie izmereniia chastoty i izmeritel'nye generatory. (MIRA 14:6) 1960. 203 p. (Radio measurements)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

MORUGIN, L.A. Prinimal uchastiye LEZIN, Yu.S.; ITSKHOKI, Ya.S., prof., doktor tekhn. nauk, retsenzent; KRIZE, S.N., prof., doktor tekhn. nauk, retsenzent; SUKHANOV, Yu.I., red.; SUROV, B.V., tekhn. red.

[Pulse systems with delayed feedback] Impul'snye ustroistva s zapazdyvaiushchei obratnoi sviaz'iu. Moskva, Izd-vo "Sovetskoe radio,"
1961. 207 p.
(Pulse techniques (Electronics)) (Delay lines)

GUSEV, Vladimir Petrovich. Prinimali uchastiye: SAKHAROV, M.A.; OBICHKIN, Yu.G.; FOMIN, A.V.; SEMIKOV, G.A.; NAZAROV, A.S.; ANDREYEVSKIY, M.N., retsenzent; KUNYAVSKIY, G.M., retsenzent; BLINNIKOV, I.V., retsenzent; BEREZNITSKIY, V.S., red.; SUKHANOV, Yu.I., red.; SVESHNIKOV, A.A., tekhn. red.

[Technology of the manufacture of radio electronic equipment] Tekhnologiia proizvodstva radioelektronnoi apparatury. Moskva, Izd-vo "Sovetskoe radio," 1961. 387 p. (MIRA 14:9) (Radio-Equipment and supplies)

KRIVITSKIY, B.Kh.; OVCHINNIKOV, N.I., red.; SUKHAMOV, Yu.I., red.; SVESH-NIKOV, A.A., tekhn. red.

[Elements and equipment for engineering] Elementy i ustroistva impul'snoi tekhniki. Izd.2., dop. i perer. Hoskva, Izd-vo "Sovet-skoe radio," 1961. 541 p.

(MIRA 14:8)

(Pulse techniques(Electronics))

EYCEKOV, S.I., doktor tekhn. nauk; VURENIN, H.I.; SAFAROV, R.T.;
SUMHANOV, Yu.I., red.; SMUROV, B.V., tekhn. red.

[Frequency stabilization of UHF generators] Stabilizatsiia chastoty generators SVCh. Moskva, Izd-vo "Sovetskoe radio,"
1962. 375 p. (MIRA 15:2)

(Oscillators, Electric) (Microwaves)

OSIPOVSKIY, A.I.; AFANAS'YEV, Yu.I.; PAUPER, A.I.; SUKHANOV, Yu.S.

Developmental anomalies and malformations of the central nervous system in the offspring of gamma-irradiated animals. Radiobiologia 3 no.1888-92 '63. (MIRA 1682)

1. 1-y Moskovskiy ordena Lenina meditsinskiy institut.
(GAMMA HAYS--PHYSIOLOGICAL EFFECT) (BRAIN)

CMESS by Tales, BLACKSSAUR, B.F.; FFARTYSKIY, Te.B.; RESELTRIKOV, G.K.


Interrelation of melting parameters in high capacity cupolas.
Lit. proizv. no.1:15-17 Ja 165.

(MIRA 18:3)

OSIPOVSKIY, A.I., doktor biol.nauk; AFANAS'YEV, Yu.I.; PAUPER, A.I.;
SUKHANOW, Yu.S.

Genetic aspects of the development of the central nervous system in gamma irradiated animals. Trudy 1-go MMI 41:111-117 '65.

(MIRA 18:12)



SUKHANOVA, A.; LYSYY, A., redaktor; KHMEL'NITSKAYA, A.; KIRSANOVA, N., tekhnicheskly redaktor.

[Our trade-union group] Nasha profgruppa. [Moskva] Izd-vo VTeSPS Profizdat, 1954. 48 p. (MLRA 8:1)

1. Profgruppa pryadil'no-tkatskoy fabriki imeni Lakina, Vladimirskoy oblasti (for Sukhanova)
(Trade unions) (Textile workers)

SUKHAHOVA, A.I.

Rumble workers. Med.sestra 22.no.4v61-62 Ap '63. (MIRA 16:7)

1. Predsedatel' Soveta meditsinskich sester.
(SKRITSKAIA, ELENA FEDOROVIA)
(KOBYSHEVA, MARIIA PANTKLEEVNA)

KIREY, P.I. (stantsiya Moskalenki); KOMDANOV, N.P., insh. (Novosibirsk); SHAKHBALAYEV, N.A., dorozhnyy master; OBOLONSKIY, N.P., insh.; BARTASH, V.V.; SUKHANOVA, A.M., tekhnik (stantsiya Belev); STAROVOYTENKO, S.P.

Letters to the editor. Put' i put. khoz. no.6:42-44 Je 158.
(MIRA 11:6)

1. Nachal'nik putevoy mashinnoy stantsii No.22 (for Kirey). 2. Stantsiya Zenzeli Ordzhonikidzevskoy dorogi (for Snakhbalayev). 3. Stantsiya Loyga Pechorskoy dorogi (for Obolonskiy). 4. Nachal'nik izyskatel'skoy partii, stantsiya Kasinovataya (for Bartash). 5. Belevskaya distantsiya Moskovsko-Kiyevskoy dorogi (for Sukhanova).
6. Zamestitel' nachal'nika sluzhby puti Yugo-Vostochnoy dorogi. Voronezh (for Starovoytenko).

(Railroads-Maintenance and repair)


- 707 x - 0 200 7470 14 \ - 04\_4 Pa\_4/Pa\_4 AFETE/ASD(a)-5/ s/0139/64/000/005/0176/0178 A TOPPLATOR NOT APADATORE  $\mathcal{E}$ TITUE: Temperature distribution over the pross section of an arc The second secon SOURCE: 1702. Fizika, no. 5, 1964, 176-1'8 TOPIC T\GS: arc discharge, temperature distribution, thermal conductivity, electric conductivity, spectrum line, gold 1 ABSTRACT: This is a continuation of early work by the authors (paper at IV Ural Conference, Sverdlovsk, 1963, in press; Izv. vuzov SESR, Fizika No. 5, 156, 1963) in which it was shown that the temperature Historials and the stage eachion of a lov-current carbon arc is . . ...... . . . . . . and electric conductivity of Commence of the fire 


1 <u>1</u> 1994 3 7 4 4	3	
ACCESSION NR: AP40413	/hp	
	in Ar + N <sub>2</sub> mixtures	
· · · · · ·	. ,	
	្រក់ ក្រុង <del>មក្សាបានប្រធានធំ</del> នាន់ ក្រុង មក្សាបានប្រធានធំនាន់ ក្រុង មក្សាបានប្រធានធំនាន់ ក្រុង មក្សាបានប្រធានធំនាន	
linear temperature dis	stribution. The calculated and experimental	
found that discharge	in a mixture with 55% Al 17.0 kg. the discharge was	
found that discharge in distribution T(r) in the	the current conducting zone. The discharge was	
found that discharge in distribution T(r) in the	the current conducting zone. The discharge was e transition probabilities of atomic lines suit-	
found that discharge in distribution T(r) in the	the current conducting zone. The discharge was the current conduction probabilities of atomic lines suitable and conducting zone.	
found that discharge in distribution T(r) in the	the current conducting zone. The discharge was e transition probabilities of atomic lines suit-	
found that discharge in distribution T(r) in the	the current conducting zone. The discharge was the current conducting zone.	
found that discharge is distribution T(r) in the used to determine the	the current conducting zone. The discharge was the transition probabilities of atomic lines suitable transitions in spectra of Fe. Mn. Cd. Co.	
found that discharge in distribution T(r) in the used to determine the	the current conducting zone. The discharge was the current conducting zone.	
found that discharge in distribution T(r) in the used to determine the	the current conducting zone. The discharge was the transition probabilities of atomic lines suitable transitions in spectra of Fe. Mn. Cd. Co.	
found that discharge in distribution T(r) in the used to determine the	the current conducting zone. The discharge was the transition probabilities of atomic lines suitable transitions in spectra of Fe. Mn. Cd. Co.	
found that discharge is distribution T(r) in the used to determine the	the current conducting zone. The discharge was the transition probabilities of atomic lines suitable transitions in spectra of Fe. Mn. Cd. Co.	

ACCESSION NR: AP 1047366

SUBMITION: JULY SUB CODE: EM, TD NR REF SOV: 003 OTHER: 002

Card 3/5





ERN HINDES ENGLED I TESTERALDES AT 1882 PORTAGE DE TESTE DE L'ESTE PORTAGE DE L'ESTE D

USSR / Pharmacology, Toxicology. Analeptics.

Abs Jour: Ref Zhur-Biol., No 18, 1958, 85128.

Author : Temper, B. A., Sukhanova, G. I.

Inst

: Not given. : The Use of Ginseng in Hypoacidic and Anacidic Forms

of Chronic Gastritis.

Orig Pub: In the collection, Materialy k izuch. zhen'shenya i limonnika, No 3, Leningrad, 1958, 100-103.

Abstract: 40 patients aged 20-50 years and over were studied


for the influence of a liquid extract of the ginseng root (G) on the course of chronic gastritis. G was given in doses of 10-20 drops 2-3 times a day. A course of therapy lasted an average of 20 days. In chronic hypo- and anact ic gastritis, G facilitated elimination of pain, increase in appetite, and normalization of the stool. Less con-


Card 1/2


Title


SUKHANOVA, G.I.


Late results of the treatment of lambliasis. Trudy Khab.med.inst. no.20:64-68 '60. (MIRA 15:10)

















SUKHANOVA, I.N.

Tropical phytoplankton of the Indian Ocean. Dokl. AN SCGR (MIRA 15:2)

7. Institut okeanologii AN SSSR. Predstavleno akademikom A.L.Kursanovym.
(Indian Ocean—Phytoplankton)

SUKHANOVA, I. V.: Master Biol Sci (diss) -- "Some biological and forestry aspects of early and late strains of English oak in Kamensk Oblast". Moscow, 1958. 19 pp (Inst of Forestry Acad Sci USSR), 150 copies (KL, No 5, 1959, 147)

### 881486

Synthesis of Halogen Esters of Orthotitanic Acid

S/079/61/031/001/020/025 B001/B066

preparative importance. The experiments were carried out under exclusion of atmospheric moisture and with carefully dried reagents. The following compounds were synthesized: ethoxy titanium trichloride, diethoxy titanium dichloride, butoxy titanium trichloride, and isopropoxy titanium trichloride. There are 1 table and 7 references: 7 Soviet, 3 British, 1 US, and 1 Indian.

ASSOCIATION: Vsesoyuznyy elektrotekhnicheskiy institut imeni V. I. Lenina

(All-Union Electrotechnical Institute imeni V. I. Lenin)

February 15, 1960 SUBMITTED:

Card 2/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

27909

\$/079/61/031/010/009/010

X

D228/D302

AUTHORS:

53700

Andrianov, K.A., Astakhin, V.V., Kochkin, D.A., and

Sukhanova, I.V.

TITLE:

Reaction of hexamethyldisilazane with the halides

of aluminum and titanium

PERIODICAL:

Zhurnal obshchey khimii, v. 31, no. 10, 1961,

3410-3411

TEXT: Previous work has shown the possibility of obtaining chlorosilane from aminosilane and HCl. so the authors studied and devised a method of synthesizing trimethylchloros, trimethylbromos and trimethyliodosilane in accordance with the scheme:

Card 1/2

Sukhanova, I.V.

Session of the Presidium of the Academy of Sciences of the U.S.S.R. dedicated to the problem of molecular biology held on May 11, 1962. Izv.AN SSSR.Ser.biol. no.5:806-809 S-0 '62. (MIRA 15:10) (MOLECULAR BIOLOGY)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

s/062/62/000/008/012/016 B117/B180

AUTHORS:

Andrianov, K. A., Astakhin, V. V., and Sukhanova, I. V.

Reaction of alkyl-phenyl-amino silanes with boric acid,

TITLE:

phosphoric acid and glycols

Akademiya nauk SSSR. Izvestiya. Otdeleniye khimicheskikh

PERIODICAL:

nauk, no. 8, 1962, 1478-1479

TEXT: Trialkyl-phenyl-amino silanes were found to react easily with boric and ortho-phosphoric acid, giving organo-silicon esters. With ortho-phosphoric acid and boric acid respectively the following were obtained: tris-(triethyl-silyl) phosphate, b.p. 180°C (4 mm, Hg); 1.4400; d<sub>1</sub> 0.9700; 70% yield; tris-borate, b.p. 157-160°C (5 mm Hg); 0.8946; 95% yield. It was also found that dialkyl-diphenyln amino silanes give cyclic dialkyl silane diole esters with glycols. 2,2dimethyl-1,3-dioxa-2-sila cycloheptane:

Card 1/2

S/079/62/032/005/005/009 D204/D307

AUTHORS:

Andrianov, K.A., Astakhin, V.V., and Sukhanova, I.V.

The reaction of alkyl (aryl) diacetoxysilanes with

TITLE:

alkyl orthotitanates

Zhurnal obshchey khimii, v. 32, no. 5, 1962, 1637-1638

The interactions of (EtO)4Ti with Me2Si(OCOCH3)3 and with PERIODICAL:

Me > Si(OCOCH<sub>3</sub>)<sub>2</sub> and of (BuO)<sub>4</sub>Ti with  $\stackrel{\text{Me}}{>}$  Si(OCOCH<sub>3</sub>)<sub>2</sub> were studied,


taking the reagents in molar proportions. The products consisted of taking the reagents in molar proportions. The products consisted of alkyl acetates, alkyl (aryl) dialkoxysilanes (I) and polymers solualkyl acetates, alkyl (aryl) dialkoxysilanes. The formation of I is ascribed ble in alcohol, benzene and toluene. The formation of I is ascribed to the reaction of TiOR + SiOCOCH<sub>3</sub> - TiOCOCH<sub>3</sub> + SiOCOCH<sub>3</sub>

ASSOCIATION: Institut elementoorganicheskikh soyedineniy i vsesoyuznyy elektrotekhnicheskiy institut imeni Lenina (Institute of Elemental Organic Compounds and All-Union Elec-

Card 1/2

#### ACC NR: A17001709

Fig. 1. Arrangement of radioisotopic thickness gauge with
spatial separation of scattered and primary γ radiation.
1 - Co<sup>80</sup>; 2 - NaI(Tl) scintillation crystal; 3 - photomultiplier; 4 - logarithmic
amplifier; 5 - normalizer; 6 intensity gauge; 7 - comparison circuit; 8 - output relaysignal device; 9 - electronic
block; 10 - pickutp; 11 - measured material.




because of the greater intensity of the scattered radiation, and simpler construction. A model of the radioisotope thickness gauge based on this method was prepared at the Electrophysics Laboratory of the Physicotechnical Department of the Ural Polytechnic Institute and used in a nonferrous rolling mill. The production tests confirmed the advantages of the new method. Orig. art. has: 3 figures and 1 formula.

SUB CODE: 20, 14/ SUBM DATE: 00/ ORIG REF: 004

Card 2/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"



SUKHANOVA, K. M.

25490 SUKHAN

SUKHANOVA, K. M. Nablyudeniya nad kulbturami Opalina ranarum in vitro. Uchen zapiski. (Leningr. Gos. ped. in-t im (ertsena), t. LXX, 1948, S 145-52. - bibliogr: 8 nazv.

SO: Letopis' Zhurnal Statey, No. 30, Moscow, 1948

Section of cultures of Chalina ranarum. Uch.zap.Ped.inst.Gerts. 70, 1948.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"


Monthly List of Russian Accessions, Library of Congress, June 1952. Unclassified.

SUMIANCVA, K.M. 25190

Nablyudeniya Nad Kulbturami Opalina Ranarum in Vitro. Uchen. Zapiski (Leningr. Gos. Ped. in-t im ertsena), T. LXX, 1948, s. 145-52
—Bibliogr: 8 Nazv.

SO: LETOPIS NO. 30, 1948

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"



SUEHANOVA, K. M.

"On the Mature of Adaptive Changes in the Life Cycles of Parasitic Protozoa in Amphibians."

Tenth Conference on Parasitological Problems and Diseases with Natural Reservoirs, 22-29 October 1959, Vol. II, Publishing House of Academy of Sciences, USSR, Moscow-Leningrad, 1959.

Institute of Cytology, USSR Academy of Sciences, Leningrad

SUKHANOVA, K.H.

Cytophysiological characteristics of Protoopalina caudata Zeller. TSitologiia 1 no.3:333-340 My-Je 59. (MIRA 12:10)

1. Laboratoriya tsitologii odnokletochnykh organizmov Instituta tsitologii AN SSSR, Leningrad.
(INFUSORIA)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SUKHANOVA, K.M.

Thermal adaptations in protozoans parasitic in amphibians; variation of heat resistance in opalinids and intestinal infusorians depending on different hosts. TSitologiia 1 no.5:587-600 S-0 '59.

(MIRA 13:2)

1.Laboratoriya tsitologii odnokletochnykh organizmov Instituta tsitologii AN SSSR, Leningrad.

(PARASITES--AMPHIBIA) (TEMPERATURE--PHYSIOLOGICAL EFFECT)

(INFUSORIA)

SUKHAMOVA, K. M.

"Cytochemical Investigation of the Life Cycles of Certain Species of Parasitic Protozoa of Amphibians."

report submitted for the First Conference on the problems of Cyto and Histochemistry, Moscow, 19-21 Dec 1960.

Laboratory of the Cytology of One-Celled Organisms of the Institute of Cytology, Academy of Sciences USSR, Leningrad.

#### SUKHANOVA, K.M.

Materials on the thermostability of cysts of parasitic protozoa of amphibia. TSitologiia 2 no.2:219-226 Mr-Ap '60. (MIRA 14:5)

l. Laboratoriya tsitologii odnokletochn**y**kh organizmov Instituta tsitologii AN SSSR, Leningrad.
(PROTOZOA) (PARASITES—AMPHIBIA)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SUKHANOVA, K.M.

Specific features of the morphology and the life cycle of Protoopalina canevi sp.n. Dokl.AN SSSR 132 no.6:1465-1467 Je \*\*160. (MIRA 13:6)

1. Institut tsitologii Akademii nauk SSSR. Predstavleno akademikom Ye. N. Pavlovskim.

(KANEV REGION—PROTOZOA, PATHOGENIC)

(PARASITES—TOADS)

SUKHANOVA, K.M., POLYANSKIY, G.I.

"Experimental Study of the Thermal Adaptation of Free Living and Parasitic Protozoa."  $\,$ 

Report presented at the 1st International Conference on Protozoology, Prague, 22-31 Aug 1961.

根据中央对抗的最高的数据的数据的特别的特别的特别的基础的。

SUKHANOVA, K.M.

Morphological and cytochemical study of Protoopalina intestinalis. TSitologiia 3 no.5:577-585 S-0 761. (MIRA 14:10)

l. Laboratoriya tsitologii odnokletoch ykh organizmov Instituta tsitologii AN SSSR, Leningrad.
(CILIATA)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SUKHANOVA, K.M.

Temperature adaptations in parasitic protozoans from the common frog (Rana temporarial.) and the lake frog (Rana ridibunda Pall.). Dokl. AN SSSR 139 no.1:252-255 Jl '61. (MIRA 14:7)

1. Institut tsitologii AN SSSR. Predstavleno akademikom Ye.N. Pavlovskim.

(Protozog Pathogenic) (Paragitas—Frogs)

(Protozoa, Pathogenic) (Parasites-Frogs)
(Tamperature-Physiological effect)

POLYANSKIY, Yuriy Ivanovich, prof.; SUKHANOVA, K.M., nauchnyy red.; VOROB'YEV, G.S., red. izd-va; GURDZHIYEVA, A.M., tekhn. red.

[The complex within the simple; on the complexity of the organization of the simplest organisms]Slozhnoe v prostom; o vysote organizatsii prosteishikh. Leningrad, Ob-vo po rasprostraneniiu polit.i nauchn. znanii RSFSR, 1962. 45 p. (MIRA 16:1) (Protozoa)

POLYANSKIY, Eu. I., SUKHANOVA, K. M. and IRLINA, I. S.  "Temperature Adaptations of Free-Living and Parasitic Protoscans."					
pp. 62 Institute of Organisms	Cytology AS USSR Laborat	ory of Cytology of Ur	nicellular	e promote prom	:
II Nauchnaya Kor (Second Sciential of Sciences USSE	ferentsiya Instituta Tsi le Conference of the Inst R, Abstracts of Reports),	cologii AN SSSR. Text Atute of Cytology of Leningrad, 1962 8	the Academy		:
JPRS 20,634				DS:1100000000000000000000000000000000000	
					***************************************
		1		i	
		1			
	:				
		i e			:

SUKHANOVA, K.M.

Temperature adaptations in Opalina ranarum during its yearly life cycle. Isitologiia 4 no.64644-651 N-D'62 (MIRA 17:3)

Cologii adnokletochnykh organizmov Insti-

SUKHANOVA, K.M.

Temperature adaptations of endoparasitic protozoa from some species of poikilothermic animals. Zool. zhur. 41 no.9: 1306-1316 S '62. (MTRA 15:11)

1. Institut tsitologii AN SSSR, Leningrad.
(Protozoa) (Adaptation (Biology))
(Parasites--Animals, Cold-blooded)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SUKHANOVA, K.M.

Study of temperature adaptations and morphological characteristics of some Astomata species from the oligochetes of Eastern Murman. Sbor. rab. Inst. tsit. no. 3:75-91 '63. (MIRA 17:7)

1. Laboratoriya tsitologii odnokletochnykh organizmov Instituta tsitologii AN SSSR.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

SMIRE 1A, K.M.; SUKHANOVA, N.P.

Effect of pure and mixed pine plantations on the dynamics of the composition of lysimeter waters. Pochvovedenie no.10:56-66 C '64. (NIFA 17:11)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

"Experimental investigation of Temperature adaptations in endoparasitic Frotozoa

report submitted for 1st Intl Cong, Parasitology, Rome, 21-26 Sep 1964.

Inst of Cytology, Prospekt Maklina 32, Leningrad F-121.

of some Poikilotnermic animals."

SUMMIANOVA, K. M.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001653810009-8"

contain tail, G. [Folyanskiy, Yo.]: SCURANGVA, A.M. [Jukhacova, A.M.]


Temperature adaptation of free-living and endoparabile introduced. Sici kerl II no.2:57-98 iv...

1. Institute of Cytology, Academy of Sciences of the W.S.S.R., Leningrad.

TROSHIN, A.S., otv. red.; ARRONET, N.I., red.; BEYYER, T.V., red.; ZHIRMUNSKIY, A.V., red.; KUSAKINA, A.A., red.; PROSSER, K.L., red.; LOZINA-LOZINSKIY, L.K., red.; POLYANSKIY. Yu.I., red.; SUKHANOVA, K.M., red.; USHAKOV, B.P., red.; FEL'DMAN, N.L., red.; ALEKSANDROV, V.Ya., red.

[Cell and the temperature of the medium; transactions]
Kletka i temperatura sredy; trudy. Moskva, Nauka, 1964. 303 p.
(MIRA 18:1)

1. International Symposium on Cytoecology, Leningrad, 1963.
2. Institut tsitologii AN SSSR, Leningrad (for Troshin, Arronet). 3. Laboratoriya kosmicheskoy biologii Instituta tsitologii AN SSSR, Leningrad (for Lozina-Lozinskiy).4. Laboratoriya tsitofiziologii i tsitoekologii Botanichskogo instituta im. V.L.Komarova AN SSSR, Leningrad (for Aleksandrov).
5. Laboratoriya sravnitel'noy tsitologii Instituta tsitologii AN SSSR, Leningrad (for Zhirminskiy, Kusakina, Ushakov).
6. Laboratoriya tsitologii odnokletochnykh organizmov Instituta tsitologii AN SSSR, Leningrad (for Sukhanova). 7. Botanicheskiy institut imeni V.L.Komarova AN SSSR, Leningrad (for Arronet).



SUKHANOVA, K.M.; NILOVA, V.K.

Synthesis of nucleic acids in the kinetosanes of Opeline renerum. TSitelogtia 7 no.3:431-436 My-Je '65.

(MIRA 18:10)

1. Laboratoriya morfologii kletki i laboratoriya tsitelogii odnokletochnykh organizmov Instituta tsitelogii AN SSSR, Leningrad.

SUKHANOVA, K.M.

Effect of hormonal factors on the life orche and conjection adaptations of some endoperation protocold and relation and Sbor.rab. Inst. tsit. no.200-105 165.

1. Laboratoriya tsitologii ednokletoshnyab organitary Instituta tsitologii an SSSA, Leningrad.

(HIRA 13:7)

SUKHANOVA, L.S.

We are opening up and using our reserves. Elek.i tepl.tiaga 14

no.3:6-7 Hr 160.

1. Nachal'nik 2-go uchastka energosnabsheniya Yushno-Ural'skoy dorogi, Zlatoust.

(Electric railroads -- Management)